

L Number	Hits	Search Text	DB	Time stamp
-	522795	(locat\$5 or select\$5 or find\$3) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:17
-	557353	(locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:41
-	3388	((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 19:05
-	1922	((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file)))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 19:02
-	298	((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 19:06
-	421	((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 20:15

-	30	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature) same (hash\$5 or crc or checksum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 19:38
-	421	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (generat\$5 or creat\$5) same (hash\$5 or code or pattern or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 19:40
-	176	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (generat\$5 or creat\$5) same (hash\$5 or code or pattern or exemplar or fingerprint or signature) same (smaller or less)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 19:40

-	171	((((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (generat\$5 or creat\$5) same (hash\$5 or code or pattern or exemplar or fingerprint or signature) same (smaller or less)) and (stor\$5 or sav\$5 or recor\$5) with (hash\$5 or code or pattern or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:49
-	88	((((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (generat\$5 or creat\$5) same (hash\$5 or code or pattern or exemplar or fingerprint or signature) same (smaller or less)) and (stor\$5 or sav\$5 or recor\$5) with (hash\$5 or code or pattern or exemplar or fingerprint or signature)) and (locat\$5 or select\$5 or find\$3 or extract\$5) with (second or third or more or extra or further) with portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 19:46
-	72	((((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (generat\$5 or creat\$5) same (hash\$5 or code or pattern or exemplar or fingerprint or signature) same (smaller or less)) and (stor\$5 or sav\$5 or recor\$5) with (hash\$5 or code or pattern or exemplar or fingerprint or signature)) and (locat\$5 or select\$5 or find\$3 or extract\$5) with (second or third) with portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:48

-	10	((((((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (generat\$5 or creat\$5) same (hash\$5 or code or pattern or exemplar or fingerprint or signature) same (smaller or less)) and (stor\$5 or sav\$5 or recor\$5) with (hash\$5 or code or pattern or exemplar or fingerprint or signature)) and (locat\$5 or select\$5 or find\$3 or extract\$5) with (second or third) with portion) and @ad<20000801	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 20:22
-	457	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (redundan\$5 or repeated or non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 20:16
-	235	(((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (redundan\$5 or repeated or non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (detect\$5 or identif\$6 or determin\$5) with (unsolicited or spam or junk or bulk or unwanted or redundan\$5 or repeated or pattern or signature or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 20:47

-	133	((((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (redundan\$5 or repeated or non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (detect\$5 or identif\$6 or determin\$5) with (unsolicited or spam or junk or bulk or unwanted or redundan\$5 or repeated or pattern or signature or exemplar or fingerprint or signature)) and @ad<20000801	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 20:22
-	21	((((locat\$5 or select\$5 or find\$3 or extract\$5) near5 portion (message or e?mail or email or electronic\$3) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)) and (((generat\$5 or creat\$5) with portion with code same (text or message or information or data)) or ((generat\$5 or creat\$5) with portion with code same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))) and (extract\$5 or remov\$5) with (redundan\$5 or repeated or non?text\$5 or graph\$5 or imag\$5 or gif or attach\$7 or hyper?text\$5 or hyper?text\$5 or address or routing or applet or embed\$5)) and (detect\$5 or identif\$6 or determin\$5) with (unsolicited or spam or junk or bulk or unwanted or redundan\$5 or repeated or pattern or signature or exemplar or fingerprint or signature)) and @ad<20000801	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:23
-	541820	(locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion (message or e?mail or email or electronic\$3 adj1 mail) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:44
-	180	(locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail) same (generat\$5 or creat\$5) same (code or pattern or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:42
-	3765	(locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:42
-	1274	((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) same (code or exemplar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:45

-	1949766	((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) near3 (code or exemplar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:45
-	536	((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) near3 (code or exemplar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:46
-	647	((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) near3 (code or exemplar or hash\$5 or algorith\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:46
-	248	((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) near3 (code or exemplar or hash\$5 or algorith\$5)) and (detect\$5 or identif\$6 or determin\$5) with (unsolicited or spam or junk or bulk or unwanted or redundan\$5 or repeated or pattern or signature or exemplar or fingerprint or signature)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 20:47
-	121	((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) near3 (code or exemplar or hash\$5 or algorith\$5)) and (detect\$5 or identif\$6 or determin\$5) with (unsolicited or spam or junk or bulk or unwanted or redundan\$5 or repeated or pattern or signature or exemplar or fingerprint or signature)) and (first or second or third or n) near3 portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:48
-	10	((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) near3 (code or exemplar or hash\$5 or algorith\$5)) and (detect\$5 or identif\$6 or determin\$5) with (unsolicited or spam or junk or bulk or unwanted or redundan\$5 or repeated or pattern or signature or exemplar or fingerprint or signature)) and (first or second or third or n) near3 portion) and (stor\$5 or sav\$5 or recor\$5) with portion) and smaller with portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:50
-	87	((locat\$5 or select\$5 or find\$3 or extract\$5 or pars\$5) near5 portion same (message or e?mail or email or electronic\$3 adj1 mail)) and (generat\$5 or creat\$5) near3 (code or exemplar or hash\$5 or algorith\$5)) and (detect\$5 or identif\$6 or determin\$5) with (unsolicited or spam or junk or bulk or unwanted or redundan\$5 or repeated or pattern or signature or exemplar or fingerprint or signature)) and (first or second or third or n) near3 portion) and (stor\$5 or sav\$5 or recor\$5) with portion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 20:51

-	1609	709/206.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/20 14:34
-	69	((generat\$5 or creat\$5) with portion with (identif\$6 or code or signature)) same (email or e?mail or (electronic\$3 near2 (mail or text or message or file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:21
-	19	709/206.ccls. and (((generat\$5 or creat\$5) with portion with (identif\$6 or code or signature)) same (email or e?mail or (electronic\$3 near2 (mail or text or message or file))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 19:04
-	1	6460050.URPN.	USPAT	2003/09/20 15:12
-	18	("5465353" "5515513" "5619648" "5884033" "5999932" "6052709" "6094487" "6144934" "6167457" "6178417" "6189026" "6195698" "6199081" "6199102" "6249805" "6310966" "6321267" "6330590").PN.	USPAT	2003/09/20 15:12
-	2	("6460050").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/20 21:19
-	2	("6330590").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/09/20 21:19
-	69	((generat\$5 or creat\$5) with portion with (identif\$6 or code or signature)) same (email or e?mail or (electronic\$3 near2 (mail or text or message or file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:22
-	14	((generat\$5 or creat\$5) with portion with (identif\$6 or code or signature)) same (email or e?mail or (electronic\$3 near2 (mail or text or message or file)))) and portion with (identif\$6 or code or signature) same (smaller or less or token\$5 or reduc\$5 or exempl\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:31
-	3961667	((unsolicited or spam or junk or bulk or unwanted) same (electronic adj mail or email or e?mail) same detect\$5 or filter\$5 or eliminat\$5 or stop\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/20 21:29